


NYLON CABLE TIES

Top quality nylon 6.6 ties, surpassing MIL spec for tensile strength. Standard in black and natural. Black ties are resistant to UV degradation. All sizes packed in 100's.

SIZE	BLACK P/N	NATURAL P/N
2.5X100	420018	421015
2.5X160	420032	421039
2.5X200	420049	421046
3.6X140	420209	421206
3.6X200	420216	421213
3.6X300	420223	421220
3.6X370	420230	421237
4.8X200	420438	421435
4.8X300	420452	421459
4.8X360	420469	421466
4.8X430	420483	421480
7.6X365	420650	421657
7.6X540	420674	421671
9X780	420681	421688
12.5X720	420827	421824
12.5X850	420834	421831
13X1030	420841	421848



CABLE TIE WIDTH	LOOP TENSILE STRENGTH
2.5mm	9kg
3.6mm	18kg
4.8mm	28kg
7.8mm	60kg
12.5mm	110kg

CABLE TIE BASES

Self-adhesive bases in black and natural, optional screw fix.


SIZE	BLACK P/N	NATURAL P/N
19x19	400645	400652
28x28	400584	400607



T 01453 765666 F 01453 755522

Info@topcableaccessories.co.uk www.topcableaccessories.co.uk

Top Cable Accessories Ltd Unit F2C, Bath Road Trading Estate, Stroud, Glos GL5 3QF



VELCRO CABLE TIES


Re-useable hook and loop ties which won't damage cables
Supplied black as standard – other colours, sizes available.



SIZE	PACK QUANTITY	BLACK P/N
10x200	60	453108
16x300	30	453122

STAINLESS STEEL ROLLERBALL CABLE TIES

These 316 grade steel ties are quick and easy to tie, with or without tensioning tool. Available natural or fully coated with halogen-free polyester (black as standard with other colours available).



SIZE	NATURAL P/N	COATED P/N
4.6x100	409013	407064
4.6x125	409037	407088
4.6x150	409051	407101
4.6x200	409099	407118
4.6x250	409112	-----
4.6x360	409136	407125
4.6x520	409174	407149
4.6x680	409211	407163
4.6x840	409259	407170
4.6x1000	409297	407187
4.6x1200	409334	407194
4.6x1400	409372	407200
7.9x200	409402	407224
7.9x360	409440	407248
7.9x520	409488	407262
7.9x680	409525	407286
7.9x840	409563	407309
7.9x1000	409600	407323
7.9x1200	409648	407347
7.9x1400	409686	407361


Also available in zigzag form – special 'crinkle' design prevents slippage after tightening



TIE WIDTH	TENSILE STRENGTH
4.6	44.5KG
7.9	113.6KG

T 01453 765666 F 01453 755522

Info@topcableaccessories.co.uk www.topcableaccessories.co.uk
Top Cable Accessories Ltd Unit F2C, Bath Road Trading Estate, Stroud, Glos GL5 3QF



STAINLESS STEEL RE-USEABLE CABLE TIES

These have a buckle fastening and can be released and reused.
Again available with or without polyester coating.

SIZE	NATURAL P/N	COATED P/N
5x150	TRCT 150-5	TCRCT 150-5
5x230	TRCT 230-5	TCRCT 230-5
5x330	TRCT 330-5	TCRCT 330-5
5x450	TRCT 450-5	TCRCT 450-5
10x150	TRCT 150-10	TCRCT 150-10
10x230	TRCT 230-10	TCRCT 230-10
10x330	TRCT 330-10	TCRCT 330-10
10x450	TRCT 450-10	TCRCT 450-10



If you need low cost stainless steel banding in e.g. 30m lengths, call us on 01453 765666 for details.

TOOLS

CABLE TIE TENSIONING TOOLS

Tensioning and cutting tools for plastic and steel ties

For plastic ties:

Two tensioner/cutters using the same body design

TIE WIDTHS	P/N
2.5-4.8mm (TG3)	901623
3.5-8.0mm (TG8)	901630



For steel ties:

Three different types of tensioner.

Manual Puller	401093
---------------	--------



Tensioner/Cutter	901999
------------------	--------



Tensioner/Cutter	901869
------------------	--------



T 01453 765666 F 01453 755522

Info@topcableaccessories.co.uk www.topcableaccessories.co.uk

Top Cable Accessories Ltd Unit F2C, Bath Road Trading Estate, Stroud, Glos GL5 3QF